
INSTALLATION INSTRUCTIONS

SCENE 1x4

Surface Remote




- **NOTE:** The following instructions provide general guidelines for product installation. For additional information consult the applicable electrical codes or contact factory directly for support before attempting anything with uncertainty.
- **WARNING:** Risk of fire and electrical shock. **DISCONNECT POWER AT ELECTRICAL PANEL** before installing or servicing this product.

GENERAL SAFETY INSTRUCTIONS:

- 1. Read all instructions prior to installing this fixture.
- 2. This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
- 3. All wiring must be performed by a qualified electrician in accordance with national and local building and electrical codes.
- 4. This fixture must be suitably grounded for your protection against shock hazards and to assure proper operation.
- 5. Make sure that the power source conforms to the requirements of this fixture.
- 6. This product has accessible output terminals. Based on Canadian Electrical Code for class 2 circuits, this product requires installation in Restricted Access Area, so that no live parts are accessible to unauthorized persons.

Specifications and design subject to change without notice.

Metalumen




WIRING DIAGRAMS	
FIXTURE TO REMOTE / INTEGRAL DRIVER	REMOTE / INTEGRAL DRIVER TO LINE VOLTAGE
RED (LED +) BLUE (LED -) BARE (GRD)	WIRE ENTRY 5 LEADS BLACK - LINE WHITE - NEUTRAL BARE - GROUND VIOLET - DIM(+) PINK - DIM(-)


Specifications and design subject to change without notice.


Metalumen


570 Southgate Drive, Guelph, Ontario N1G 4P6 Mailing Address: P.O. Box 1779 Guelph, Ontario N1H 6Z9



STEP 1. Remove fixture and all supplied parts from packaging. **DO NOT REMOVE** the protective film from the front surface of the fixture.









Specifications and design subject to change without notice.

Metalumen


570 Southgate Drive, Guelph, Ontario N1G 4P6 Mailing Address: P.O. Box 1779 Guelph, Ontario N1H 6Z9




STEP 5. Secure the fixture to the **hanger bracket base [1]** by first inserting the tabs on the left side of the **hanger b racket [2]** into the slots of the **hanger bracket base [1]**.



STEP 6. Secure lumin aire to hanger bracket base using the #8 1/2" screws.



STEP 7. Remove protective film from the front surface of the light fixture when installation is completed.




bracket base on to the wall.


Specifications and design subject to change without notice.

Metalumen

570 Southgate Drive, Guelph, Ontario N1G 4P6 Mailing Address: P.O. Box 1779 Guelph, Ontario N1H 6Z9




STEP 9. AReposition and attach safety cables to bottom of hanger bracket base and connect to luminaire. Secure the fixture to the **hanger bracket base [1]** by first inserting the tabs on the left side of the **hanger bracket [2]** into the slots of the **hanger bracket base [1]**.




Specifications and design subject to change without notice.

Metalumen

570 Southgate Drive, Guelph, Ontario N1G 4P6 Mailing Address: P.O. Box 1779 Guelph, Ontario N1H 6Z9





Specifications and design subject to change without notice.

Metalumen

570 Southgate Drive, Guelph, Ontario N1G 4P6 Mailing Address: P.O. Box 1779 Guelph, Ontario N1H 6Z9

MAINTENANCE STEPS

Required Tools

Plastic / Latex Gloves





Important: Use clean gloves to avoid adding oil/dirt to reflector surface. Avoid scratching reflector surface by using installation tools with soft plastic rounded edges.

To Clean the Optics:

Gently wipe down the optics with a clean, dry cloth to remove any dust and light residues. For heavier smudges, spray clean cloth with mild soap and water solution and gently wipe optics surface.

WARNING: Hard wiping and abrasive cloths will scratch the optics. DO NOT USE cleaning products containing alcohol or acetone which will damage the optics.

Specifications and design subject to change without notice.